AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (Currently Amended) A vapor vent valve for a fuel pump module comprising:

a valve assembly, said valve assembly releasably attaching to a bottom side of a fuel pump modular flange mounted to a fuel tank, said modular flange having a valve seat on the bottom side as a valve seat of said flange, said valve seat defining a circumferential area around an aperture through the modular flange, said modular flange having at least one valve assembly attachment means proximal to the valve seat on the bottom side of said modular flange for attachment of the valve assembly, said valve assembly having a valve member and a buoyant float connected together with a valve member support stem to form a buoyant float assembly, and wherein the valve assembly attachment means comprises at least one deflectable leg member.

2. (Cancelled)

3. (Currently Amended) The vapor vent valve of Claim 1 wherein said valve assembly comprises a valve housing having at least one open end, a float stop means opposite said open end, said housing defining an interior float area, slidably retaining a said buoyant float assembly in the interior float area within the valve housing, said buoyant float assembly having a valve member extending towards said open end of

said housing abutting said valve seat when fuel in said fuel tank <u>pushes_buoys_said</u> buoyant float assembly upwards in the valve housing.

- 4. (Original) The vapor vent valve of Claim 3 wherein said valve housing has at least one attachment tab for attaching the valve assembly to the valve assembly attachment means of the modular flange.
- 5. (Original) The vapor vent valve of Claim 3 wherein when the buoyant float assembly is forced upwards completely in the valve housing, the valve member forms a seal against the valve seat of the modular flange.
- 6. (Original) The vapor vent valve of Claim 3 wherein when fuel ceases to exert upward force on the float assembly, the float assembly slides downward until it rests against the float stop means, forming a gap between the valve member and the valve seat of the modular flange, allowing vapor to exit freely.
- 7. (Currently Amended) The vapor vent valve of Claim 3–5 wherein when fuel ceases to exert upward force on the float assembly, the float assembly slides downward until it rests against the float stop means, forming a gap between the valve member and the valve seat of the modular flange, allowing vapor to exit freely.
- 8. (Currently Amended) A vapor vent valve for a fuel pump module comprising:

a valve assembly, said valve assembly having a valve housing having at least one open end, a float stop means opposite said open end, said housing defining an interior float area, slidably retaining a buoyant float assembly in the interior float area, said float assembly having a valve member extending towards said open end of said housing and a float, said float assembly valve member and said float connected by a cylindrical stem having a diameter smaller than a diameter of an aperture defined by a modular flange mounted to a fuel tank, said valve assembly releasably attaching to a bottom side of a-said fuel pump modular flange mounted to a-said fuel tank, said open end of the valve assembly facing the said modular flange, said modular flange having a bottom side as a valve seat on the bottom side of said flangefor said valve member, said valve seat defining a circumferential area around an said aperture through the said modular flange, said modular flange having at least one valve assembly attachment means proximal to the valve seat on the bottom side of said modular flange for attachment of the valve assembly to the modular flange aligned with the valve seat, said valve assembly attachment means comprising at least one deflectable leg member engaging with an attachment tab on the valve assembly.

- 9. (Original) The vapor vent valve of Claim 8 wherein when float assembly is fully forced upwards in the valve housing, the valve member forms a seal against the valve seat of the modular flange.
- 10. (Currently Amended) The vapor vent valve of Claim 8-9 wherein when fuel ceases to exert upward force on the float assembly, the float assembly slides

downward until it rests against the float stop means, forming a gap between the valve member and the valve seat of the modular flange, allowing vapor to exit freely.

11. (Original) The vapor vent valve of Claim 8 wherein when fuel ceases to exert upward force on the float assembly, the float assembly slides downward until it rests against the float stop means, forming a gap between the valve member and the valve seat of the modular flange, allowing vapor to exit freely.